

FIG. 1




FIG. 2A




FIG. 2B





FIG. 2C




## FIG. 3A

Received: from sample.com  
super.main@sample.com; Fri, 23 Aug 2002 22:27:38  
Message-ID: <3D663935.275DEA37@sample.com>  
From: super.main@sample.com ← 1 0 1  
To: main@sample.com ← 1 0 2  
Subject: INFOMATION REQUEST ← 1 0 3  
Date: Fri, 23 Aug 2002 22:31:33 +0900  
Mime-Version: 1.0  
Content-Type: text/plain:  
REQUEST DEVICE: BRX\_001 ← 1 0 4 a ← 1 0 4 b  
CONTENT: TONER, PAPER ← 1 0 5  
END

## FIG. 3B

Received: from sample.com  
main@sample.com; Fri, 23 Aug 2002 22:29:38  
Message-ID: <3D663935.275DEA40@sample.com>  
From: main@sample.com ← 1 0 1  
To: super.main@sample.com ← 1 0 2  
Subject: RE: INFOMATION REQUEST ← 1 0 3  
Date: Fri, 23 Aug 2002 22:33:33 +0900  
Mime-Version: 1.0  
Content-Type: text/plain:  
REQUEST DEVICE: BRX\_001 ← 1 0 6 a ← 1 0 6 b  
TIME: 22:32:50-AUG. 23. 2000  
TONER: 30% ← 1 0 7  
PAPER: 1878  
END

FIG. 4



## FIG. 5

Received: from XNET (localhost [127.0.0.1])  
by xnetsample.com (8.9.3/3.7W-00000000) with SMTP id 000000  
00  
for <main@sample.com>; Tue, 01 Oct 2005 10:10:10 +0900 (JST)  
From: super.main@sample.com ↵ 1 0 1  
To: main@sample.com ↵ 1 0 2  
Subject: Internet FAX Job ↵ 1 0 3  
Date: Tue, 01 Oct 2005 10:10:10 +0900  
Message-Id: <00000000.2abcdef0.1.00>  
Mime-Version: 1.0  
Content-Type: multipart/mixed; ↵ 1 1 3  
boundary="---BrotherInternetFAX---"

This is multipart message.

---BrotherInternetFAX---  
Content-Type: text/plain; charset=us-ascii

Image data in TIFF-F format has been attached. ↵ 1 1 1

---BrotherInternetFAX---  
Content-Type: image/tiff; ↵ 1 1 4  
name="image.tif"

Content-Transfer-Encoding: base64 ↵ 1 1 2


SUKqAAgAAAAARAP4ABAABAAAAAgAAAAABAwABAAAAwAYAAAEBAwABAAAA1QgAAAIBAwA  
AQAAAAABAwABAAAAwAAAAAYBAwABAAAAAaBAwABAAAAgAAABEBBAABAAAA6gA  
AwABAAAAQAAABUBAwABAAAAQAAABYBBAABAAAA1QgAAAbcBBAABAAAAADUAABoBBQA

— syncopated —

KwDKZgVAayNaADQwogVA2awAKJsVAGWzAqBsVgaOMKIFQNmSACibFQANjGgBOMDIQW  
OMCIfgBIsWkggREtABoYQKgbFYANDCiBUDZrABoYEQLgIJZAVA2KwAaCNEAoGxWALS  
WgAEQAAEQAAEQAA==

---BrotherInternetFAX---

FIG. 6



## FIG. 7

Received: from sample.com  
super.main@sample.com; Fri, 23 Aug 2002 22:27:38  
Message-ID: <3D663935.275DEA37@sample.com>  
From: super.main@sample.com ↩ 1 0 1  
To: main@sample.com ↩ 1 0 2  
Subject: INFORMATION REQUEST ↩ 1 0 3  
Date: Fri, 23 Aug 2002 22:31:33 +0900  
Mime-Version: 1.0  
Content-Type: text/plain:  
↩ 1 0 4 a      ↩ 1 0 4 b  
REQUEST DEVICE: BRX\_001, BRN\_001, BRN\_002 ↩ 1 0 4  
  
CONTENT: TONER, PAPER ↩ 1 0 5  
  
END



FIG. 8




FIG. 9




FIG. 10




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 12




FIG. 13

801

INFORMATION REQUEST

802

Mail Address

Device List:

BRX_001	MFC-1234
BRX_003	MFC-1234
BRX_101	MFC-1300
BRX_001	HL-5050
BRX_002	HL-5050
BRX_003	HL-5100
BRX_008	HL-5100

803

Information

☒ Toner

☐ Paper (Tray 1)

☐ Paper (Tray 2)

☐ Display

☒ Total Print Number

804

805

OK Cancel Details

806

806A

Send Mail Address

SMTP Server Address

806B

```
graph TD; subgraph Dialog [INFORMATION REQUEST]; direction TB; MA[Mail Address: super.main@sample.com]; DL[Device List: BRX_001 MFC-1234, BRX_003 MFC-1234, BRX_101 MFC-1300, BRX_001 HL-5050, BRX_002 HL-5050, BRX_003 HL-5100, BRX_008 HL-5100]; subgraph Info [Information]; direction TB; T1[☒ Toner]; T2[☐ Paper (Tray 1)]; T3[☐ Paper (Tray 2)]; T4[☐ Display]; T5[☒ Total Print Number]; end; subgraph Buttons; direction LR; OK[OK]; Cancel[Cancel]; Details[Details]; end; end; Dialog -- Details --> Config; subgraph Config [ ]; direction TB; S1[Send Mail Address: super.main@sample.com]; S2[SMTP Server Address: smtp.sample.com]; end;
```